



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- CC4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm
- CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm
- SLS4 Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm
- HC4 Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW
- HCL4 Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW

PRODUCT FEATURES

- Heated from above and below to maintain even temperature of food
- Overhead heat lamp imparts a warm glow on the food being held
- Provide a continuous supply of chips and other fried food, quickly and easily
- Crisp chips, the perforated drain plates ensures any excess oil is drained away
- Adjustable temperature control
- Removable 1/1 GN size chip container for convenience and ease of cleaning

Keep chips and other fried food deliciously crisp and succulent with the Silverlink 600 Electric Chip Scuttle. Ideal either for self service at front of house or for holding food ready for service at back of house, the Chip Scuttle is designed to provide a continuous supply of chips and other fried food, quickly and easily. Heated from above and below to maintain an even temperature, the scuttle has perforated drain plates remove excess oil and ensure chips are as crisp as possible. The fact that both the drain plates and the tank can be removed makes the scuttle very easy to clean. Great for schools, colleges, restaurants, hotels and cafes, the scuttle also has an adjustable temperature control.

AIA FILE NUMBER:

ITEM NUMBER:



LINCAT SILVERLINK ELECTRIC COUNTER-TOP CHIP SCUTTLE WITH OVERHEAD GANTRY - W 450 MM - 1.0 KW

MODEL: CS4/G

WEIGHTS & DIMENSIONS

Width	450 mil
Depth	600 mil
Height	645 mil
Weight	16.5 kg

SHIPPING DETAILS

Ship Width	70.3 cm
Ship Depth	70.3 cm
Ship Height	88.3 cm
Ship Weight	18.15 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	4.3	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	1000	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	1 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Control Type	Mechanical
Gastronorm Capacity	1 x GN1/1
Heated Base	Yes
Heated Gantry	Yes
Number of Pans	1
Sections	1
Style	Countertop
Type of Lighting	Infrared

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

