



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- BA96 BASKET SPUN DFSMALL
- CC6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
- CN6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
- SLS6 Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm
- HC6 Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
- HCL6 Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW

PRODUCT FEATURES

- Two independently operated fryer tanks for greater versatility, increased power delivers 52kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris - gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Fail-safe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

Fry perfectly crispy and fluffy chips every time with the powerful Silverlink 600 Electric Twin Tank Counter Top Fryer. Twice the tanks means twice the power with this fryer, which is capable of delivering 52kg of chips per hour. Not to mention the greater cooking versatility that twin tanks provide. It's ideal for mobile operations as well as cafes, pubs and restaurants. The fryer features an innovative deep cool zone, which collects cooking debris to prolong the life of the oil and therefore save you money. Sturdy stainless steel means it's built to last, hinged elements give easy access during cleaning, and you're in control via the accurate thermostat throughout the entire cooking process.

AIA FILE NUMBER:

ITEM NUMBER:



LINCAT SILVERLINK ELECTRIC COUNTER-TOP TWIN TANK FRYER - 2 BASKETS - W 600 MM - 2 X 6.0 KW

MODEL: DF612

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	632 mil
Height	330 mil
Weight	25 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	70 cm
Ship Height	49.5 cm
Ship Weight	27.5 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Kilowatts	18 kW
Electrical Amps	Single Phase 2 x 26.0/ Three Phase L1=2 x 13.0; L2=2 x 13.0; L3=N/ A	Number of Electrical Conductor Wires	2
Electrical Voltage	230 volts/ 400 volts	Electrical Connection Type	Direct Hardwired
Electrical Watts	12000	Electrical Plug Type	Hardwired
Electrical Phase	Single, Three	Number of Electrical Plugs	2
		Energy Saving	No

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No	Number of Vats (batteries)	1
Basket Lift Type	Not Applicable	Total Oil Capacity (volume)	18 l
Control Type	Rotary Control Knob	Oil Reclamation	No
Food Production Rate	36kg chips - 12mm [frozen], 52kg chips - 12mm [chilled] per hour	Oil Temperature Control	Mechanical
Fryer Type	Open Pot	Pumped Oil Filtration	No
Integrated Filtration	No	Split Pot	Yes
Number of Baskets	2	Temperature Maximum	190 °C
Number of Burners	Not Applicable	Temperature Minimum	130 °C
		Vat 1 Oil Capacity (volume)	9 l
		Vat 2 Oil Capacity (volume)	9 l

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 23, 2024

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

